L Number	Hits	Search Text	DB	Time stamp
16	254	(700/276,278,299,300;702/182,183,185;236/51).ccls. and @pd>=20031201	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/27 21:38
-	20	SULFSTEDE-L SULFSTEDE-LOUIS SULFSTEDE-LOUIS-E SULFSTEDE-L-E	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 16:53
-	286	700/276-278.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 17:58
-	288	700/299,300.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 18:46
-	11	700/299,300.ccls. and HVAC	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 18:47
-	32	700/299,300.ccls. and (portable or "hand held" or "hand-held" or "handheld")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 18:48
-	483	702/183.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/24 18:51
-	43	702/183.ccls. and (HVAC or (air adj condition$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 17:23
-	11	(portable or "hand held" or "hand-held" or "handheld") with (HVAC or (air adj condition$5)) with (diagnos$6 or test$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:02
-	66	(portable or "hand held" or "hand-held" or "handheld") same ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:02
-	5	(HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6) with ("in line" or "in-line")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:05
-	4701	(HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:40
-	4	((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6)) and (voltage with threshold with adjust$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:17
-	2	"voltage threshold adjuster"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:16

-	70	((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6)) and (voltage with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:18
-	70	((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6)) and (voltage with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/25 15:18
-	9	("4146085" | "4287939" | "4577977" | "4798055" | "5495722" | "5743465" | "5816059" | "5850209" | "5884202").PN.	USPAT	2003/11/25 15:19
-	4	6179214.URPN.	USPAT	2003/11/25 15:28
-	43	((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6)) same ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:01
-	66	(portable or "hand held" or "hand-held" or "handheld") same ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:06
-	1	((portable or "hand held" or "hand-held" or "handheld") same ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6))) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:00
-	244	((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6)) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:02
-	201	(((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6)) and ("duty cycle" or PWM or (pulse adj width))) not (((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6)) same ("duty cycle" or PWM or (pulse adj width)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:02
-	5971	(portable or "hand held" or "hand-held" or "handheld" or remote$5 or detach$6) same ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6 or control$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 13:47
-	729	(portable or "hand held" or "hand-held" or "handheld") same ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6 or control$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:28
-	423	(portable or "hand held" or "hand-held" or "handheld") with ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6 or control$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:49
-	24	((portable or "hand held" or "hand-held" or "handheld") with ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6 or control$6))) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:35
-	162	(portable or "hand held" or "hand-held" or "handheld" or remote$6 or detach$6) with ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:50

-	123	((portable or "hand held" or "hand-held" or "handheld" or remote$6 or detach$6) with ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6))) not ((portable or "hand held" or "hand-held" or "handheld") same ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:54
-	9	(((portable or "hand held" or "hand-held" or "handheld" or remote$6 or detach$6) with ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6))) not ((portable or "hand held" or "hand-held" or "handheld") same ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6)))) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 12:54
-	4	("3667037" | "3736765" | "3890836" | "4087046").PN.	USPAT	2003/11/26 13:01
-	21	4146085.URPN.	USPAT	2003/11/26 13:13
-	2	4146085.URPN. and ("duty cycle" or PWM or (pulse adj width))	USPAT	2003/11/26 13:14
-	38	(US-6369536-$ or US-5326027-$ or US-4856286-$ or US-6647317-$ or US-6385510-$ or US-5682329-$ or US-5555509-$ or US-5555195-$ or US-5481481-$ or US-5311451-$ or US-5446677-$ or US-6604023-$ or US-6324854-$ or US-6179214-$ or US-4196628-$ or US-5463559-$ or US-4293817-$ or US-5850209-$ or US-4146085-$ or US-6467280-$ or US-6449972-$ or US-RE37245-$ or US-5450999-$ or US-5495722-$ or US-5816059-$ or US-5568033-$).did. or (US-4942613-$ or US-4538419-$ or US-4381549-$).did. or (US-20010048279-$ or US-20030014218-$ or US-20020129304-$ or US-20020040280-$ or US-20020178737-$ or US-20010049942-$ or US-20010045097-$ or US-20010002239-$ or US-20030009610-$).did.	USPAT; US-PGPUB	2003/11/26 13:35
-	17	((US-6369536-$ or US-5326027-$ or US-4856286-$ or US-6647317-$ or US-6385510-$ or US-5682329-$ or US-5555509-$ or US-5555195-$ or US-5481481-$ or US-5311451-$ or US-5446677-$ or US-6604023-$ or US-6324854-$ or US-6179214-$ or US-4196628-$ or US-5463559-$ or US-4293817-$ or US-5850209-$ or US-4146085-$ or US-6467280-$ or US-6449972-$ or US-RE37245-$ or US-5450999-$ or US-5495722-$ or US-5816059-$ or US-5568033-$).did. or (US-4942613-$ or US-4538419-$ or US-4381549-$).did. or (US-20010048279-$ or US-20030014218-$ or US-20020129304-$ or US-20020040280-$ or US-20020178737-$ or US-20010049942-$ or US-20010045097-$ or US-20010002239-$ or US-20030009610-$).did.) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 13:36
-	2	((portable or "hand held" or "hand-held" or "handheld" or detach$6) with ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6 or control$6))) same ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 13:52
-	25	((portable or "hand held" or "hand-held" or "handheld" or detach$6) with ((HVAC or (air adj condition$5) or compressor) with (diagnos$6 or test$6 or control$6))) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 14:02
-	6	((HVAC or (air adj condition$8)) with diagnos$6) and ("hand held" or "hand-held" or "handheld") and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 14:06

-	13	((HVAC or (air adj condition$8)) with (test$6 or diagnos$6)) and ("hand held" or "hand-held" or "handheld" or portable) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 14:07
-	41	(HVAC or (air adj condition$8) or compressor) and ((controller or test$6 or diagnos$6) near2 ("hand held" or "hand-held" or "handheld" or portable or detach$6)) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 16:40
-	11	("4755957" | "4798055" | "5209400" | "5440890" | "5440895" | "5511387" | "5528908" | "5548966" | "5630325" | "5875638" | "6179214").PN.	USPAT	2003/11/26 14:33
-	0	(HVAC or (air adj condition$8) or compressor) same ("duty cycle" or PWM or (pulse adj width)) same (controller or test$6 or diagnos$6) same ("hand held" or "hand-held" or "handheld" or portable or detach$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 14:46
-	28	((HVAC or (air adj condition$8) or compressor) same (controller or test$6 or diagnos$6) same ("hand held" or "hand-held" or "handheld" or portable or detach$6)) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 14:50
-	7312	(HVAC or (air adj condition$8) or compressor) near2 (controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 14:51
-	71	((HVAC or (air adj condition$8) or compressor) near2 (controller)) same ("hand held" or "hand-held" or "handheld" or portable or detach$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 14:52
-	739	((HVAC or (air adj condition$8) or compressor) near2 (controller)) same ("hand held" or "hand-held" or "handheld" or portable or detach$6 or remot$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 14:53
-	28	(((HVAC or (air adj condition$8) or compressor) near2 (controller)) same ("hand held" or "hand-held" or "handheld" or portable or detach$6 or remot$6)) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 15:00
-	1638	(HVAC or (air adj condition$8) or compressor) near2 (servic$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 15:01
-	21	((HVAC or (air adj condition$8) or compressor) near2 (servic$9)) with (portable or tablet or "hand held" or "hand-held" or "handheld")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 15:03
-	131	((HVAC or (air adj condition$8) or compressor) with (servic$9)) same (portable or tablet or "hand held" or "hand-held" or "handheld")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 15:03
-	5	(((HVAC or (air adj condition$8) or compressor) with (servic$9)) same (portable or tablet or "hand held" or "hand-held" or "handheld")) and ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 15:04
-	80	((HVAC or (air adj condition$8) or compressor) with (servic$9)) with (portable or tablet or "hand held" or "hand-held" or "handheld")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 16:32

-	980	(HVAC or (air adj condition$8) or compressor) with ("duty cycle" or PWM or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 16:42
-	337	(HVAC or (air adj condition$8) or compressor) with ("duty cycle" or PWM or (pulse adj width)) with motor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 16:45
-	11	((HVAC or (air adj condition$8) or compressor) with ("duty cycle" or PWM or (pulse adj width)) with motor and (portable or tablet or "hand held" or "hand-held" or "handheld")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 17:35
-	2	(HVAC or (air adj condition$5)) adj analyzer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 17:24
-	17	((HVAC or (air adj condition$5)) near2 controller) with ("duty cycle" or PWM or (pulse adj width) or (pulse adj modulated))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 17:25
-	502	(HVAC or (air adj condition$8) or compressor) with diagnostic$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:19
-	7	(HVAC or (air adj condition$8) or compressor) with diagnostic$5 with (portable or handheld or "hand-held" or "hand held" or detach$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 17:48
-	14	((HVAC or (air adj condition$8) or compressor) with diagnostic$5) same (portable or handheld or "hand-held" or "hand held" or detach$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 17:49
-	43	(US-6467280-$ or US-6449972-$ or US-5682329-$ or US-5555195-$ or US-5495722-$ or US-5446677-$ or US-4856286-$ or US-4293817-$ or US-RE37245-$ or US-5927599-$ or US-5450999-$ or US-6385510-$ or US-6324854-$ or US-6179214-$ or US-5463559-$ or US-4196628-$ or US-5816059-$ or US-5568033-$ or US-4942613-$ or US-4538419-$ or US-4381549-$ or US-6647317-$ or US-6604023-$ or US-6369536-$ or US-5850209-$ or US-5555509-$).did. or (US-5481481-$ or US-5326027-$ or US-5311451-$ or US-4146085-$ or US-5790965-$ or US-4755957-$ or US-5744923-$).did. or (US-20020178737-$ or US-20010049942-$ or US-20010045097-$ or US-20010002239-$ or US-20030009610-$ or US-20020129304-$ or US-20030014218-$ or US-20010048279-$ or US-20020040280-$ or US-20020004694-$).did.	USPAT; US-PGPUB	2003/11/26 18:03

-	21	((US-6467280-$ or US-6449972-$ or US-5682329-$ or US-5555195-$ or US-5495722-$ or US-5446677-$ or US-4856286-$ or US-4293817-$ or US-RE37245-$ or US-5927599-$ or US-5450999-$ or US-6385510-$ or US-6324854-$ or US-6179214-$ or US-5463559-$ or US-4196628-$ or US-5816059-$ or US-5568033-$ or US-4942613-$ or US-4538419-$ or US-4381549-$ or US-6647317-$ or US-6604023-$ or US-6369536-$ or US-5850209-$ or US-5555509-$).did. or (US-5481481-$ or US-5326027-$ or US-5311451-$ or US-4146085-$ or US-5790965-$ or US-4755957-$ or US-5744923-$).did. or (US-20020178737-$ or US-20010049942-$ or US-20010045097-$ or US-20010002239-$ or US-20030009610-$ or US-20020129304-$ or US-20030014218-$ or US-20010048279-$ or US-20020040280-$ or US-20020004694-$).did.) and ("duty cycle" or PWM or (pulse adj width) or (pulse adj modulat$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 18:04
-	801	(HVAC or (air adj condition$8) or compressor) and (voltage near threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:20
-	26	(HVAC or (air adj condition$8) or compressor) and (voltage near threshold near adjust$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:26
-	2	((HVAC or (air adj condition$8) or compressor) and (voltage near threshold near adjust$6)) and diagnos$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:23
-	74	(HVAC or (air adj condition$8) or compressor) and ((voltage near threshold) with adjust$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:37
-	2	((HVAC or (air adj condition$8)) same diagnos$7) and (voltage with threshold with adjust$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:38
-	50	((HVAC or (air adj condition$8)) same (test$6 or diagnos$7)) and (voltage with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:45
-	4	((HVAC or (air adj condition$8)) same (test$6 or diagnos$7)) and (voltage with threshold with adjust$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:40
-	8	(HVAC or (air adj condition$8)) same (voltage with threshold with (adjust$6 or chang$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:51
-	6	(HVAC or (air adj condition$8)) same (diagnos$6 or test$6) same (voltage near (adjust$6 or chang$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 15:51